



ఆంధ్ర ప్రదేశ్ రాజ పత్రము

# THE ANDHRA PRADESH GAZETTE

PART-I EXTRAORDINARY  
PUBLISHED BY AUTHORITY

No. 33-B ]

HYDERABAD, WEDNESDAY, JANUARY 27, 2010.

## NOTIFICATIONS BY GOVERNMENT

—x—

### ENERGY DEPARTMENT

(CCB)

ECONOMISER No. AP/E-114 AND AP/E-115, OF M/s. HINDUSTAN PETROLEUM CORPORATION LIMITED, VISAKHAPATNAM EXEMPTED FROM THE PROVISIONS OF INDIAN BOILERS ACT 1923 FOR A PERIOD OF SIX (6) MONTHS.

[G.O.Rt.No.13, Energy (CCB), 27th January, 2010.]

In exercise of the powers conferred under sub-section (2) of Section 34 of the Indian Boilers Act, 1923, (Central Act No. V of 1923), the Government of Andhra Pradesh hereby exempts the Economiser No. AP/E-114, and Economiser No. AP/E-115 of M/s. Hindustan Petroleum Corporation Limited, Visakhapatnam from the provisions of Section 6 (c) of the said Act for a period of 6 (six) months from 02-07-2009 to 31-12-2009 subject to the following conditions, namely.,

- (i) The inspection fee of Rs. 1,500/- paid on 20-07-2009 to each of the above boilers is adjusted towards inspection of Boiler during working carried out on 22-07-2009 for the purpose of exemption is as follows:

Sl.No.	Boiler No.	Date	Amount
1.	AP/E-114	20-07-2009	Rs. 1,500/-
2.	AP/E-115	20-07-2009	Rs. 1,500/-

- (ii) During the exemption period, the Boiler shall be used in accordance to the provisions of the Indian Boilers Act, 1923, the Andhra Pradesh Boiler Attendant Rules, 1956 and the Andhra Pradesh Boiler Operation Engineer Rules.
- (iii) Any repair during the period of exemption shall be carried out only after obtaining the permission from the Director of Boilers, Andhra Pradesh, Hyderabad.
- (iv) No further exemption shall be granted to the Boiler. After expiry of the exemption period, the Boiler shall be offered for inspection.

**SUTIRTHA BHATTACHARYA,**  
Special Chief Secretary to Government.